

Grade 3 Deadbolts D600 Series



Overview

The LSDA D610 and D620 are deadbolt locks in a classic design that is extremely versatile. These locks can be installed on doors with 1½" or 2⅞" holes. They come with a narrow diameter adjustable deadbolt. A rugged gate latch can be purchased separately. Popular SC1 keyway is standard, but replacement cylinders in many keyways can be substituted, using the C500 Cylinders.

Compliance

- Complies with ANSI/BHMA 156.2 Series 4000, Grade 3

Applications

- Gates
- Doors that are wood or hollow metal




Grade 3 Deadbolts, D600 Series

Standard Features:

Bolt	Adjustable (2 $\frac{3}{8}$ " to 2 $\frac{3}{4}$ ") backset with full 1" bolt projection sold with the lock. Optional gate latch available with 2 $\frac{3}{8}$ " to 2 $\frac{3}{4}$ " backset with a 1" prep.
Handing	Non-Handed
Materials	Exposed parts are stainless steel, zinc alloy or brass
Strike	2 $\frac{3}{4}$ " x 1 $\frac{1}{8}$ "
Door Prep	1 $\frac{1}{2}$ " or 2 $\frac{1}{8}$ " Diameter bore x $\frac{7}{8}$ " to 1" crossbore for deadbolt (1" required for optional gate latch)
Door Thickness	1 $\frac{3}{8}$ " - 1 $\frac{3}{4}$ "
Keying	Available in SC1, keyed 5-pin, rekeyable 6-pin Compatible with LSDA C500 replacement cylinders and many other retrofit cylinders, including most high security brands

Grade 3 Deadbolts, D600 Series

Designs




Single Cylinder (D610)
Shown in 5 Finish
Shown with optional trim ring




Double Cylinder (D620)
Shown in 3 Finish
Shown without optional trim ring

Functions



Single Cylinder

Locked or unlocked by a thumbturn inside and a key outside



Double Cylinder*

Locked and unlocked by a key inside and outside

** Deadbolts that secure both sides of the door are controlled by building codes and the Life Safety Code. In an emergency exit situation, failure to quickly unlock the inside knob could be hazardous or even fatal.*

Grade 3 Deadbolts, D600 Series

Finishes


US3 / 505 / 605
Bright Brass



US5 / 609
Antique Brass



10B / 613
Oil Rubbed Bronze



US32D / 630
Satin Stainless
Steel

