


Grade 2 Lever Locks 800 Series



Overview

The 800 Series locks are designed for use in a variety of commercial applications. Equipped with a U.L. listed latchbolt, these locks can be used on 3-Hour fire doors. Built with independent return springs in each lever and with an optional clutch feature to protect against excessive torque, these levers resist sagging. The L-shaped lever design with less than ½" gap between the handle and the door meets most accessibility codes.

Compliance

- ANSI/BHMA 156.2 Series 4000, Grade 2
- Latch is UL Listed (USA and Canada) for 3-hour fire doors, included; UL10C /UBC 7-2 positive pressure
- ADA: The Americans With Disabilities Act (ADA) states that locks shall be operable with one hand and shall not require tight grasping, tight pinching or twisting of the wrist.

Applications

- Offices
- Commercial Properties
- Retail Spaces
- Multi-Family Buildings



R14024




Grade 2 Lever Locks, 800 Series


Standard Features:

Latch	2¾" Backset UL listed included; 2¾" Backset UL Listed available
Handing	Non-Handed
Materials	Zinc Alloy, Bronze, Brass or Stainless Steel
Strike	4⅞" x 1¼" ANSI
Door Prep	2½" diameter bore, 1" crossbore
Door Thickness	1⅜" - 2", Optional Thru Bolts
Rose Diameter	3⅜"
Keying	Cylinders: Equipped with SC4 rekeyable 6-pin brass cylinders, compatible with LSDA replacement C500 cylinders and many other retrofit cylinders including most high security brands. SFIC: Some models prepped for Small Format Interchangeable Core (SFIC), such as 6- or 7-Pin Best® style cores

Designs




Vancouver (VA), Step Rose
Entrance Function
Shown in 26D Finish



Edmonton (ED), Flat Rose
Entrance Function
Shown in 26D Finish


Grade 2 Lever Locks, 800 Series

Functions




Entrance/Office

Pushing and turning inside button locks outside lever requiring use of key until button is manually unlocked. Pushing inside button locks outside lever until unlocked with a key or inside lever is turned. Inside lever always retracts latch. Available with or without Clutch.




Passage

Both levers always retract the latch




Privacy

Pushing inside button locks outside lever until inside lever is turned. Emergency tool can be used to unlock outside lever. Inside lever always retracts the latch.




Exit

Blank plate outside, inside lever always free




Dummy

Pull only, one side of door trim.




Storeroom

Outside lever never retracts the latch. Entrance by key only. Inside lever always retracts the latch. Available with or without Clutch.




Classroom

Outside lever is locked and unlocked with a key in the outside cylinder. The inside lever always retracts the latch. Available with or without Clutch.




Communicating

Key in either lever locks or unlocks the lever.



Institutional

Neither lever/knob retracts the latch. A key is required in both the inside and outside cylinder to retract the latch. Available with or without Clutch.



Benefits of a Clutch Lever

Clutch mechanism, or "free-wheeling" design offers an advantage over rigid locked leversets by reducing the torque applied to the outside lever

Grade 2 Lever Locks, 800 Series

Finishes

US3 / 505 / 605
Bright Brass



10BE / 613E
Dark Oxidized
Satin Bronze



US26D / 626
Satin Chrome



US19 / BLK / 622
Matte Black Coated

