


Grade 3 Combination Locks 7075 Series



Overview

The 7075 provides you with the combination of a single cylinder deadbolt and an entry knob set to work with the same keys. This is a great time saver when installing new doors or when replacing hardware on apartments or houses.

Compliance

- Knob Locks are ANSI/BHMA 156.2 Series 4000, Grade 3
- Deadbolts meets ANSI/BHMA 156.2 Series 4000, Grade 3

Applications

- Houses
- Apartments
- Offices
- Storerooms




Grade 3 Combination Locks, 7075 Series

Standard Features:

Latch, Knob	Adjustable 2 ³ / ₈ " and 2 ³ / ₄ " Backset, Full 1/2" latch projection. 2-Way latches are adjustable and fit 7/8" crossbore
Latch, Deadbolts	Adjustable 2 ³ / ₈ " - 2 ³ / ₄ " Backset. Full 1" bolt projection. Drive-In latches are available.
Handing	Non-Handed
Materials	Stainless Steel or Brass
Strike, Knob	2 1/4" full lip
Strike, Deadbolt	Two options sold with the lock: 2 1/4" x 1" Radius Corner (RCL) or 2 1/4" x 1" Square Corner
Door Prep, Knob	2 1/8" diameter bore, 7/8" crossbore; 2 1/4" x 1" latch face; 2 1/2" Rose Diameter
Door Prep, Deadbolt	1 1/2" or 2 1/8" diameter bore, 7/8" crossbore
Door Thickness	1 3/8" x 1 3/4" standard
Keying	KW1 cylinder; Rekeyable, 5-pin; Keyed Alike (KA10) in ten


Grade 3 Combination Locks, 7075 Series

Designs




Shown in 3 Finish

Functions



Entrance

Pushing and turning inside button locks outside lever requiring use of key until button is manually unlocked. Pushing inside button locks outside lever until unlocked with a key or inside lever is turned. Inside lever always retracts latch.



Single Cylinder

Deadbolt is locked and unlocked by a thumbturn inside and a key outside. Knob lock is locked or unlocked by a turn piece inside and a key outside.

Grade 3 Combination Locks, 7075 Series

Finishes

US3 / 505 / 605
Bright Brass



US15 / 619
Satin Nickel

