

# Grade 3 Handlesets 40 Series



## Overview

The 40-Series is a selection of attractive and secure handlesets for residential entrances. Available in several styles and finishes, they enhance any doorway. Each model includes a single-cylinder deadbolt and a separate grip handle with a passage latch. These locks are recommended for use on exterior and interior doors.

## Compliance

- ANSI/BHMA 156.2 Series 4000, Grade 3

## Applications

- Houses
- Apartments
- Condominiums
- Townhomes
- Office Buildings




# Grade 3 Handlesets, 40 Series

## Standard Features:

|                       |   |
|-----------------------|---|
| <b>Latch</b>          | Adjustable 2 $\frac{3}{8}$ " to 2 $\frac{3}{4}$ " Spring Latch Backset with full $\frac{1}{2}$ " latch projection<br>Deadbolt Latch is 1" deadbolt throw with anti-saw rod  |
| <b>Handing</b>        | Non-Handed  |
| <b>Materials</b>      | Zinc Die Cast, Steel  |
| <b>Strike</b>         | 2 $\frac{1}{4}$ " full lip  |
| <b>Door Prep</b>      | 2 $\frac{1}{8}$ " diameter bore, 1" crossbore<br>Center-to-Center (CtoC) Dimensions: 8 $\frac{5}{8}$ "  |
| <b>Door Thickness</b> | 1 $\frac{3}{8}$ " - 1 $\frac{3}{4}$ "   |
| <b>Keying</b>         | Available in KW1, WR5, or SC1<br>Rekeyable 5-pin  |
| <b>Trim</b>           | Inside Trim is a Ball Design Knob for EA and SC models<br>Knob or Lever can be replaced with an optional Wave Shaped Design (Lyon, LY) Lever<br>Decorative cap for covering the screws during installation provided for SC models |

# Grade 3 Handlesets, 40 Series

## Functions:



## Entry

Pressing outside thumbpiece or rotating inside knob retracts springlatch. Deadbolt is operated by a key outside and thumbturn inside. Latchbolt and deadbolt are not interconnected and operate independently of each other.

## Designs



40EA (Early American)  
Shown in 11P Finish




40SC (Saint Croix)  
Shown in 15 Finish



# Grade 3 Handlesets, 40 Series

## Finishes



## Handing

