

Grade 3 Handlesets 40 Series



Overview

The 40-Series is a selection of attractive and secure handlesets for residential entrances. Available in several styles and finishes, they enhance any doorway. Each model includes a single-cylinder deadbolt and a separate grip handle with a passage latch. These locks are recommended for use on exterior and interior doors.

Compliance

- ANSI/BHMA 156.2 Series 4000, Grade 3

Applications

- Houses
- Apartments
- Condominiums
- Townhomes
- Office Buildings




Grade 3 Handlesets, 40 Series

Standard Features:

Latch	Adjustable 2 $\frac{3}{8}$ " to 2 $\frac{3}{4}$ " Spring Latch Backset with full $\frac{1}{2}$ " latch projection Deadbolt Latch is 1" deadbolt throw with anti-saw rod
Handing	Non-Handed
Materials	Zinc Die Cast, Steel
Strike	2 $\frac{1}{4}$ " full lip
Door Prep	2 $\frac{1}{8}$ " diameter bore, 1" crossbore Center-to-Center (CtoC) Dimensions: 8 $\frac{5}{8}$ "
Door Thickness	1 $\frac{3}{8}$ " - 1 $\frac{3}{4}$ "
Keying	Available in KW1, WR5, or SC1 Rekeyable 5-pin
Trim	Inside Trim is a Ball Design Knob for EA and PA models Knob or Lever can be replaced with an optional Wave Shaped Design (Lyon, LY) Lever Decorative cap for covering the screws during installation provided for PA models

Grade 3 Handlesets, 40 Series

Functions:



Entry

Pressing outside thumbpiece or rotating inside knob retracts springlatch. Deadbolt is operated by a key outside and thumbturn inside. Latchbolt and deadbolt are not interconnected and operate independently of each other.

Designs



40EA (Early American)
Shown in 11P Finish



40PA (Park Avenue)
Shown in MB3 Finish



Grade 3 Handlesets, 40 Series

Finishes



Handing

