

Knob & Lever Locks 100 Series



Overview

The 100-Series door knobs feature cylindrical construction for use on a variety of commercial doors. Classic Ball (B) and Plymouth (P) styles make these excellent retrofit and replacement locks. These locks are recommended for use on exterior and interior doors.

Compliance

- ANSI/BHMA 156.2 Series 4000, Grade 2
- Latch is UL Listed (USA and Canada, R14024)

Applications

- Offices
- Commercial Properties
- Retail Spaces
- Multi-Family Buildings



Grade 2 Knob Locks, 100 Series

Standard Features:

Latch	2 $\frac{3}{4}$ " or 2 $\frac{3}{8}$ " Backset available UL listed latches (USA or Canada) Drive-In latches available
Handing	Non-Handed
Materials	Knobs and roses are stainless steel, brass or bronze Mechanism is constructed of cold-rolled steel and zinc dichromate finished parts for rust and corrosion resistance
Strike	4 $\frac{7}{8}$ " x 1 $\frac{1}{4}$ " ANSI full lip
Door Prep	2 $\frac{1}{8}$ " diameter bore, 2 $\frac{1}{4}$ " x 1" latch face, or with 1 $\frac{1}{8}$ " wide latch face (where 074SL or 074DL listed in part number)
Door Thickness	1 $\frac{3}{8}$ " - 1 $\frac{3}{4}$ "
Rose Diameter	3"
Keying	Cylinders: Some models sold less cylinder and less latch, lock is compatible with LSDA Replacement C500 cylinders and many other retrofit cylinders including most high security brands. Some models sold complete with SC1 or WR5 cylinder and 2 $\frac{3}{4}$ " latch SFIC: Some models prepped for Small Format Interchangeable Core (SFIC), such as 6- or 7-Pin Best® style cores

Grade 2 Knob Locks, 100 Series

Designs




Ball (B)
Entrance Function
Shown in 32D Finish




Plymouth (P)
Entrance Function
Shown in 32D Finish

Functions




Entrance/Office

Pushing and turning inside button locks outside knob requiring use of key until button is manually unlocked. Pushing inside button locks outside knob until unlocked with a key or inside knob is turned. Inside knob always retracts the latch.




Passage

Both knobs always retract the latch




Privacy

Pushing inside button locks outside knob until inside knob is turned. Emergency tool can be used to unlock outside knob. Inside knob always retracts the latch.




Exit

Blank plate outside, inside knob always free



Storeroom

Outside knob never retracts the latch. Entrance by key only. Inside knob always retracts the latch.



Classroom

Outside knob is locked and unlocked with a key in the outside cylinder. The inside knob always retracts the latch.

Grade 2 Knob Locks, 100 Series

Finishes

US3 / 505 / 605
Bright Brass



US5 / 609
Antique Brass



10BE / 613E
Dark Oxidized
Satin Bronze



US15 / 619
Satin Nickel



US32D / 630
Satin Stainless
Steel



**US19 / BLK /
622**
Matte Black Coated

